



**BURLINGTON  
ENVIRONMENTAL**

171  
WA 2917  
9/2/92

RECEIVED  
SEP 03 1992

RCRA PERMITS SECTION

FILE COPY

CERTIFIED MAIL

September 2, 1992

Ms. Carrie Sikorski  
Permits Section  
U.S. Environmental Protection Agency  
Region 10 - M/S HW-112  
1200 Sixth Ave.  
Seattle, WA. 98101

RE: Revised Annual Closure Cost Update for Burlington  
Environmental Pier 91 Facility

Dear Ms. Sikorski:

Enclosed is a revision of the previously distributed annual update of the closure cost estimates for the Pier 91 facility as required by Section I.3.1 of the Part B permit. In 1990, the AIPD was readjusted to be based on 1987 prices rather than 1982 prices. We were unaware of this when the 1991 inflation factor was calculated. Therefore, the inflation factor of 0.89 was incorrect. The 1991 inflation factor is actually 1.0446.

This change does not constitute a permit modification. Please replace the existing version in Section I (page I45) of the Part B Permit with this updated copy. Adjustments were made by recalculating closure costs using a 1991 inflation factor of 0.89, as specified by 40 CFR 264.142(b)(i) and (b)(ii) and WAC 173-303-620(3)(c).

If you have any questions, please contact me at (206) 223-0500 Ext. 582.

Sincerely,

Julie A. Slocum  
Environmental Compliance Specialist  
Regulatory Affairs

Enclosure


USEPA RCRA  
  
3012265







**BURLINGTON  
ENVIRONMENTAL**



RCRA PERMITS SECTION

CERTIFIED MAIL

August 27, 1992

Ms. Carrie Sikorski  
Permits Section  
U.S. Environmental Protection Agency  
Region 10 - M/S HW-112  
1200 Sixth Ave.  
Seattle, WA. 98101

RE: Annual Closure Cost Update for Burlington Environmental  
Pier 91 Facility

Dear Ms. Sikorski:

Enclosed is the annual update of the closure cost estimates for the Pier 91 facility as required by Section I.3.1 of the Part B permit. This change does not constitute a permit modification. Please replace the existing version in Section I (page I45) of the Part B Permit with this updated copy. Adjustments were made by recalculating closure costs using a 1991 inflation factor of 0.89, as specified by 40 CFR 264.142(b)(i) and (b)(ii) and WAC 173-303-620(3)(c).

If you have any questions, please contact me at (206) 223-0500 Ext. 582.

Sincerely,

Julie A. Slocum  
Environmental Compliance Specialist  
Regulatory Affairs


Enclosure







**BURLINGTON  
ENVIRONMENTAL**



WA 2917

RCRA PERMITS SECTION

September 9, 1992

CERTIFIED MAIL

Mr. David Croxton  
EPA Project Coordinator  
U.S. EPA  
1200 Sixth Avenue, M/S HW-106  
Seattle, WA 98101

Re: Burlington Environmental Inc. Pier 91 Facility RCRA 3008(h) Bimonthly  
Progress Report July/August 1992.

Activities completed this bimonthly period:

EPA conditionally approved the RFI Workplan on July 9, 1992, and required BE to address three remaining issues within 21 and 90 days. The 21-day submittal has been made, with the 90-day submittal due October 10th.

Projected activities:

EPA approval of the 21-day submittal, and for minor changes to the RFI Workplan submitted separately, is expected in early September.

BE expects to begin RFI exploration activities the week of September 14th.

Sincerely,

John Stiller  
Project Coordinator

cc: Barb Smith, Ecology NWRO

